	Application No.	Applicant(s)
	''	·· · · · · · · · · · · · · · · · · ·
Notice of Allowability	09/774,673	LILLINGTON, JOHN
Notice of Allowability	Examiner	Art Unit
	Harry Vartanian	2634
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All daims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 7/1/2004.		
2. The allowed claim(s) is/are <u>1-3 and 5-16</u> .		
3. The drawings filed on 25 April 2001 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary Paper No./Mail Dat	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	<del>-</del>	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/774,673

Art Unit: 2634

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John R Lastova(Reg# 33,149) on 1/26/2005.

The application has been amended as follows:

In Claim 1, line 9 please add the following:

wherein between frequency splitting stages, said apparatus is arranged to combine said first complex output signal and said second complex output signal to form an interleaved complex signal for subsequent processing.

In Claim 2, line 2 please change the following:

spans a frequency range of -F to +F, wherein F is a frequency.

## Please Cancel Claim 4.

Claim 6, Line 1 please change the following:

Apparatus as claimed in claim [[4]]1, further

In Claim 16, line 2 please change the following:

input signal, said method comprising:

In Claim 16, line 5 please change the following:

converter pairs, and

In Claim 16, line 11 please add the following:

input bandwidth portion, and

between frequency splitting stages, combining said first complex output signal and said second complex output signal to form an interleaved complex signal for subsequent processing.

Page 3

Application/Control Number: 09/774,673

Art Unit: 2634

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Harry Vartanian whose telephone number is 571.272.3048.

The examiner can normally be reached on 10:00-6:30 Mondays to Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Stephen Chin can be reached on 571.272.3056. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Status information for published Application Information Retrieval (PAIR) system.

applications may be obtained from either Private PAIR or Public PAIR. Status information

for unpublished applications is available through Private PAIR only. For more information

about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on

access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-

217-9197 (toll-free).

Harry Vartanian Examiner Art Unit 2634

H۷

SUPERVISORY PATENT EXAMINE!

**TECHNOLOGY CENTER 2600**